

AD8TM DEMENTIA SCREENING

Copyright 2005. *The Ascertain Dementia 8-item Informant Questionnaire (AD8TM)* is a copyrighted instrument of Washington University, St. Louis, Missouri. All Rights Reserved.

PERMISSION STATEMENT

Washington University grants permission to use and reproduce The AD8TM: The Washington University Dementia Screening Test, also referred to as the "Ascertain Dementia 8-item Informant Questionnaire (AD8TM)," without modification or editing of any kind solely for (1) clinical care purposes, defined as a physician's use of the AD8TM for non-research patient care services, and (2) non-commercial research, defined as investigator-initiated clinical research that is not funded or supported, in whole or in part, by any for-profit entity (collectively, the "Purpose"). The Purpose specifically excludes any use, reproduction, publication, and/or distribution of the AD8TM for any other reason or purpose, including without limitation (a) the sale, distribution, publication, or transfer of the AD8TM for any consideration or commercial value; (b) the creation of any derivative works of the AD8TM, including translations thereof; (c) the use of the AD8TM as a marketing tool for the promotion or sale of any drug; (d) incorporation of the AD8TM in an electronic medical record application software; and/or (e) any use of the AD8TM in connection with research or clinical trials that are supported, in whole or in part, by any for-profit entity. Individuals or corporations intending to use the AD8TM for any use other than the Purpose stated above, including clinical trial or commercial purposes, must obtain WU's prior written permission, granted by an authorized representative of WU. To obtain permission, visit <http://knightadrc.wustl.edu/CDR/AD8.htm> and refer to the AD8TM Permission & Licensing Policy section.



KnightADRC
Alzheimer's Disease Research Center

MEMORY & AGING PROJECT
KNIGHT ALZHEIMER'S DISEASE RESEARCH CENTER
DEPARTMENT OF NEUROLOGY
WASHINGTON UNIVERSITY SCHOOL OF MEDICINE
4488 FOREST PARK AVENUE, SUITE 101
ST. LOUIS, MO 63108-2293
PHONE: (314) 286-2683
FAX: (314) 286-2448
[KNIGHTADRC.WUSTL.EDU](http://knightadrc.wustl.edu)

The ASCERTAIN DEMENTIA 8-ITEM INFORMANT QUESTIONNAIRE (AD8™)
ADMINISTRATION AND SCORING GUIDELINES

Spontaneous self-correction is allowed for all responses without counting as an error.

The questions are given to the respondent for self-administration or can be read aloud to the respondent either in person or over the phone. It is preferable to administer the AD8™ to an informant, if available. If an informant is not available, the AD8™ questionnaire may be administered to the patient.

Informants should only rate *change* in the patient due to cognitive problems.

The patient should also only self-rate *changes* due to cognitive problems.

In all instances, change should be noted without attributing causality.

It is important to carefully read the phrase as worded. There should be a one second delay between the reading of each individual item.

No timeframe for reported change is required.

The final score is a sum of the number of items marked “Yes, A change.”

Interpretation of the AD8™ Questionnaire Results (Adapted from Galvin JE et al, The AD8, a brief informant interview to detect dementia, Neurology 2005;65:559-564)

Screening tests such as the AD8™ are insufficient to diagnose a dementing disorder. The AD8™ is, however, sensitive to detecting early cognitive changes associated with many common dementing illnesses, including Alzheimer disease, vascular dementia, Lewy body dementia, and frontotemporal dementia.


Scores in the impaired range (see below) indicate a need for further diagnostic assessment. Scores in the “normal” range suggest that a dementing disorder is unlikely, but a very early disease process cannot be ruled out.

Based on clinical research findings from 995 individuals included in the development and validation samples for the AD8™, the following cutoff points are provided:

- 0 – 1: Normal cognition
- 2 or greater: Cognitive impairment is likely to be present

Administered to either the informant (preferable) or self-rated by the patient, the AD8™ has the following properties:

- Sensitivity > 84%
- Specificity > 80%
- Positive Predictive Value > 85%
- Negative Predictive Value > 70%
- Area under the Curve: 0.908; 95%CI: 0.888-0.925



AD8™ DEMENTIA SCREENING INTERVIEW

Remember, “Yes, a change” indicates that there has been a change in the last several years caused by cognitive (thinking and memory) problems.	YES, A change	NO, No change	N/A, Don’t know
1. Problems with judgment (e.g., problems making decisions, bad financial decisions, problems with thinking)			
2. Less interest in hobbies/activities			
3. Repeats the same things over and over (questions, stories, or statements)			
4. Trouble learning how to use a tool, appliance, or gadget (e.g., VCR, computer, microwave, remote control)			
5. Forgets correct month or year			
6. Trouble handling complicated financial affairs (e.g., balancing checkbook, income taxes, paying bills)			
7. Trouble remembering appointments			
8. Daily problems with thinking and/or memory			
TOTAL AD8™ SCORE			

Adapted from Galvin JE et al, The AD8, a brief informant interview to detect dementia, Neurology 2005;65:559-564
Copyright 2005. The AD8 is a copyrighted instrument of the Knight Alzheimer Disease Research Center, Washington University, St. Louis, Missouri.
All Rights Reserved.